



W | S

TASMANIA

# Woodsmith™

Hand crafted  
**Tasmanian Oak Engineered Flooring**  
from nature's finest timber

# Sustainably crafting beautiful Regrowth Tasmanian Oak products since 1924.

Neville Smith Forest Products (NSFP) has been part of Tasmanian forestry since 1924, and today is one of the most advanced producers of sustainably grown Regrowth Tasmanian Oak products in Australia.

With a long and proud history working in Tasmania's forests we understand the importance of sustainably managing this beautiful and unique resource.

Woodsmith Engineered Flooring is sourced from only sustainably harvested, regrowth PEFC Certified Tasmanian Oak and all NSFP sites have 100% Chain of Custody.

When you choose NSFP timber products, you can be assured of a beautiful and natural product that has been sourced using the highest environmental standards.



ORIGINAL

TASMANIAN  
TIMBER™

TASMANIAN



visit us  
online  
for more  
information



**Handcrafted from the finest sustainably harvested hardwood Tasmanian Oak, our engineered flooring begins its life in Tasmania's arresting mountain ranges, before being planed, sanded and meticulously finished. The resource-rich, fertile environment, abundant clean air and reliable rainfall ensure a pure and consistent natural product.**



#### **A sustainable and local timber**


The regrowth eucalypt hardwood possesses a rare natural beauty, is expertly milled, ensuring waste is minimised and the yield maximised.

#### **An innovative product with a consistent grain**

The straight, consistent grain and 165mm flooring profile creates a sense of expansiveness and organic flow for a myriad of interior applications. Quarter sawing ensures a smooth, uninterrupted visual continuity. Due to the layered construction of the flooring it is stable, flexible, resistant to warping and shrinkage, and suitable for domestic and commercial applications.

Woodsmith's Tasmanian Oak engineered flooring is highly receptive to staining, resulting in a wide range of refined, contemporary colours. State of the art production techniques ensure a product that is hard wearing, highly resistant to foot traffic and every day living.

Our original, handcrafted flooring is the perfect designer choice for premium decorative themes and project choices.



[wearewoodsmith.com.au](http://wearewoodsmith.com.au)

@nevellesmithforestproducts




## Huon Trail

Tasmanian Oak in its purest form is a pale timber with a rustic charm that provides a timelessly elegant aesthetic.

### SPECIFICATIONS

Width	165mm
Length	2130mm
Thickness	14.2mm
Installation Type	Tongue and Groove



## Cradle Sky

Cradle Sky's classic, soft blonde undertone, with a twist of cool sophistication, offsets bolder accents to create a gentle ambience.

### SPECIFICATIONS

Width	165mm
Length	2130mm
Thickness	14.2mm
Installation Type	Tongue and Groove





## Freycinet Morning

With its chic, modern tone, Freycinet Morning is perfect for a stylish industrial aesthetic, and can be creatively matched with a host of contemporary furnishings and finishes.

### SPECIFICATIONS

Width	165mm
Length	2130mm
Thickness	14.2mm
Installation Type	Tongue and Groove



## Tamar Mist

Tamar Mist has an understated, contemporary beauty, with a refined tone variance that assures versatility in any application.

### SPECIFICATIONS

Width	165mm
Length	2130mm
Thickness	14.2mm
Installation Type	Tongue and Groove





## Shannon Rise

This traditional, rich stain has a luxe character that is endlessly versatile and complements both classic and contemporary architecture.

### SPECIFICATIONS

Width	165mm
Length	2130mm
Thickness	14.2mm
Installation Type	Tongue and Groove



## Derwent Breeze

The timeless blonde of the natural oak is highlighted by Derwent Breeze, creating a sense of light to interior atmospheres.

### SPECIFICATIONS

Width	165mm
Length	2130mm
Thickness	14.2mm
Installation Type	Tongue and Groove





## Uncoated

Tasmanian Oak in its natural form allows you to choose your own coating preference and colour tones to create a truly unique design.

### SPECIFICATIONS

Width	165mm
Length	2130mm
Thickness	14.2mm
Installation Type	Tongue and Groove



## **Bona®**

All coated Woodsmith Engineered Flooring Products are finished using the industry leading Bona Naturale UV system.

Bona Naturale UV is the next generation of timber floor finishes and provides a natural looking and feeling alternative to traditional floor treatments such as polyurethane or waxes. This exceptional product has captured the imaginations of architects, designers and design-conscious home owners worldwide.

What is so special about Woodsmith engineered floors treated with Bona Naturale is that it preserves the true nature of the timber floor while giving it durable protection against scratches and stains. It provides virtually maintenance free protection on par with traditional high end finishes, while keeping the natural look and feel to the floor that was previously only possible with oil or wax. Bona Naturale UV is almost VOC free, making it completely safe for young children.

Spot repairs are also possible with Bona Naturale UV, enabling you to deal swiftly and efficiently with any minor damage or scratches throughout the life of the floor.

### **Bona Naturale UV.**

- A UV finish that provides a natural look & feel.
- Appeals to style conscious home owners.
- Provides full wear, scratch and chemical resistant properties.
- Has very low maintenance requirements.
- Ultra low VOCs.
- Allows for seamless spot repairs.
- For more information on Bona Naturale please visit [bona.com/naturale](http://bona.com/naturale)

Another  
quality  
timber  
product  
from



**Email:** [sales@nsfpgroup.com.au](mailto:sales@nsfpgroup.com.au)

**Phone:** +61 3 6326 1181

**[wearewoodsmith.com.au](http://wearewoodsmith.com.au)**

** [@nevillesmithforestproducts](https://www.instagram.com/nevillesmithforestproducts)**



**Woodsmith**<sup>TM</sup>



The images featured throughout this brochure are indicative of Woodsmith Engineered Flooring colours only and may vary from actual colours due to printing inconsistencies. When selecting colours, consumers should also consider that as timber is a natural material, minor variation of colour tone may be evident throughout the flooring product. **For further information please visit [wearewoodsmith.com.au](http://wearewoodsmith.com.au)**